



ELSEVIER

Solid State Ionics 68 (1994) 341-345

**SOLID  
STATE  
IONICS**

## Author index to volume 68


- Adler, S., S. Russek, J. Reimer, M. Fendorf, A. Stacy, Q. Huang, A. Santoro, J. Lynn, J. Baltisberger and U. Werner, Local structure and oxide-ion motion in defective perovskites 68 (1994) 193
- Ahmad, A., T.A. Wheat, J.D. Canaday, A.K. Kuriakose and A.G. McDonald, Processing and characterization of Na and (Na-K) beta-beta" alumina ceramics 68 (1994) 233
- Ainger, F.W., see S. Erdei 68 (1994) 295
- Alcock, C.B., see R. Doshi 68 (1994) 133
- Aotani, N., K. Iwamoto, K. Takada and S. Kondo, Synthesis and electrochemical properties of lithium ion conductive glass,  $\text{Li}_3\text{PO}_4\text{-Li}_2\text{S-SiS}_2$  68 (1994) 35
- Arul Raj, I., On the relationship between the solid state physicochemical characteristics and the heterogeneous electrocatalytic activity of lanthanum manganates for oxygen reduction in alkaline fuel cells 68 (1994) 41
- Baier, G., see Z. Lukacs 68 (1994) 93
- Baltisberger, J., see S. Adler 68 (1994) 193
- Barbosa, M.R., see M. Fritz 68 (1994) 339
- Behr, A., see V. Leute 68 (1994) 287
- Bludská, J., see J. Vondrák 68 (1994) 317
- Blumenfeld, A.L., A.S. Golub, G. Protsenko, Yu.N. Novikov, M. Casciola and U. Costantino, NMR investigation on molecular mobility of pyrazole and pyridazineintercalated in layered  $\alpha$ -zirconium phosphate 68 (1994) 105
- Bohnke, O., see B. Vuillemin 68 (1994) 257
- Booth, C., see K. Viras 68 (1994) 49
- Brinkman, H.W., H. Kruidhof and A.J. Burggraaf, Mixed conducting yttrium-barium-cobalt-oxide for high oxygen permeation 68 (1994) 173
- Burggraaf, A.J., see H.W. Brinkman 68 (1994) 173
- Canaday, J.D., see A. Ahmad 68 (1994) 233
- Casciola, M., see A.L. Blumenfeld 68 (1994) 105
- Cho, N., S. Kikkawa, F. Kanamaru and A. Yoshiasa, Structural refinement of  $\text{Ag}_3\text{SI}$  by single crystal X-ray diffraction method 68 (1994) 57
- Costantino, U., see A.L. Blumenfeld 68 (1994) 105
- Dahn, J.R., see C.D.W. Jones 68 (1994) 65
- Den Hartog, H.W., see A.H. Verhoef 68 (1994) 305
- Dodo, M., see K. Ito 68 (1994) 117
- Doi, A., H. Hayakawa and H. Kamioka, Three steps of acoustic relaxation in  $(\text{AgI})_x(\text{Ag}_4\text{P}_2\text{O}_7)_{1-x}$  glass melts 68 (1994) 81

- Doshi, R., Y. Shen and C.B. Alcock, Oxygen pumping characteristics of oxide ion electrolytes at low temperatures 68 (1994) 133
- Eguchi, M., I. Furusawa, T. Miura and T. Kishi, Lithium insertion characteristics of  $\beta$ - $\text{Cu}_2\text{V}_2\text{O}_7$  68 (1994) 159
- Erdei, S. and F.W. Ainger, Preparation of stoichiometric  $\gamma''$ - $\text{LiV}_2\text{O}_5$  bronze crystals from  $\text{YVO}_4$  doped  $\text{LiVO}_3$  flux for investigation of  $\gamma''$ - $\gamma'$  phase relation 68 (1994) 295
- Fendorf, M., see S. Adler 68 (1994) 193
- Feng, M. and J.B. Goodenough, Ionic conduction of  $\text{Ba}_3\text{Y}_4\text{O}_9$  68 (1994) 269
- Fritz, M., M.R. Barbosa, G. Staikov, W.J. Lorenz, M. Steinbrück and R. Knödler, Reply to comment by H. Näfe on "Electronic conductivity of Na- $\beta''$ -alumina ceramics at high temperatures" 68 (1994) 339
- Fuchs, B. and S. Kemmler-Sack, Synthesis of  $\text{LiMnO}_2$  and  $\text{LiFeO}_2$  in molten Li halides 68 (1994) 279
- Furusawa, I., see M. Eguchi 68 (1994) 159
- Golub, A.S., see A.L. Blumenfeld 68 (1994) 105
- Goodenough, J.B., see M. Feng 68 (1994) 269
- Guth, U., see P. Shuk 68 (1994) 177
- Hayakawa, H., see A. Doi 68 (1994) 81
- Holc, J., see M. Hrovat 68 (1994) 99
- Holc, J., Reaction between  $\text{ZrO}_2$  8%  $\text{Y}_2\text{O}_3$  thick film solid electrolyte and alumina substrate 68 (1994) 331
- Hrovat, M., J. Holc and D. Kolar, Thick film ruthenium oxide/yttria-stabilized zirconia-based cathode material for solid oxide fuel cells 68 (1994) 99
- Huang, Q., see S. Adler 68 (1994) 193
- Hünting, C., see V. Leute 68 (1994) 287
- Ikeda, H., see H. Ohno 68 (1994) 227
- Ito, K., M. Dodo and H. Ohno, Crystallization of inorganic salts in poly(propylene oxide) oligomers by heating 68 (1994) 117
- Ito, K., see H. Ohno 68 (1994) 227
- Iwamoto, K., see N. Aotani 68 (1994) 35
- Jasienska, S., see J. Kusinski 68 (1994) 185
- Jones, C.D.W., E. Rossen and J.R. Dahn, Structure and electrochemistry of  $\text{Li}_x\text{Cr}_y\text{Co}_{1-y}\text{O}_2$  68 (1994) 65
- Julien, C. and G.A. Nazri, Transport properties of lithium-intercalated  $\text{MoO}_3$  68 (1994) 111
- Julien, C. and A. Khelifa, Lithium intercalation studies of  $\text{Li}_x\text{CF}_{1.13}$  68 (1994) 325
- Kamioka, H., see A. Doi 68 (1994) 81
- Kanamaru, F., see N. Cho 68 (1994) 57
- Kelder, E.M., O.C.J. Nijs and J. Schoonman, Low-temperature synthesis of thin films of YSZ and  $\text{BaCeO}_3$  using electrostatic spray pyrolysis (ESP) 68 (1994) 5
- Kemmler-Sack, S., see B. Fuchs 68 (1994) 279
- Khelifa, A., see C. Julien 68 (1994) 325
- Kikkawa, S., see N. Cho 68 (1994) 57
- Kishi, T., see M. Eguchi 68 (1994) 159

- Knödler, R., see M. Fritz 68 (1994) 339
- Kolar, D., see M. Hrovat 68 (1994) 99
- Kondo, S., see N. Aotani 68 (1994) 35
- Korobov, A., Reactivity of solids: two-dimensional approach to formal representation 68 (1994) 221
- Kruidhof, H., see H.W. Brinkman 68 (1994) 173
- Kulkarni, A.R., see R.D.A. Paulmer 68 (1994) 243
- Kumar, A. and K. Shahi, The conduction characteristics of CsCl-Al<sub>2</sub>O<sub>3</sub> composites 68 (1994) 71
- Kuo, C.K., see Y.M. Yan 68 (1994) 85
- Kuriakose, A.K., see A. Ahmad 68 (1994) 233
- Kusinski, J., S. Jasienska and C. Monty, Microstructural and microanalytical examinations of partially reduced doped wustites 68 (1994) 185
- Lee, J.-S. and H.-I. Yoo, Direct measurement of partial ionic conductivity of Co<sub>1-δ</sub>O via impedance spectroscopy combined with dc relaxation 68 (1994) 139
- Leute, V., A. Behr, C. Hünting and H.M. Schmidtke, Phase diagram and diffusion properties of the quasibinary system (Sn,Pb)S 68 (1994) 287
- Lorenz, W.J., see Z. Lukacs 68 (1994) 93
- Lorenz, W.J., see M. Fritz 68 (1994) 339
- Lukacs, Z., M. Sinz, G. Staikov, W.J. Lorenz, G. Baier and A. Vogel, Electrochemical investigations of a carbon monoxide-oxygen sensor 68 (1994) 93
- Lundén, A., Paddle-wheel versus percolation model, revisited 68 (1994) 77
- Lynn, J., see S. Adler 68 (1994) 193
- McDonald, A.G., see A. Ahmad 68 (1994) 233
- Meyer, W.H., see R.-R. Rietz 68 (1994) 151
- Miura, T., see M. Eguchi 68 (1994) 159
- Monty, C., see J. Kusinski 68 (1994) 185
- Näfe, H., Conclusions on the electronic conductivity of Na-β-alumina from the behaviour of a potentiometric CO<sub>2</sub> sensor comprising Na-β-alumina as electrolyte 68 (1994) 249
- Näfe, H., Comment on "Electronic conductivity of Na-β"-alumina ceramics at high temperatures" by M. Fritz, M.R. Barbosa, G. Staikov, W.J. Lorenz, M. Steinbrück, R. Knödler 68 (1994) 335
- Nazri, G.A., see C. Julien 68 (1994) 111
- Nicholas, C.V., see K. Viras 68 (1994) 49
- Nicholson, P.S., see Y.M. Yan 68 (1994) 85
- Nijs, O.C.J., see E.M. Kelder 68 (1994) 5
- Novikov, Yu.N., see A.L. Blumenfeld 68 (1994) 105
- Ohno, H., see K. Ito 68 (1994) 117
- Ohno, H., H. Yoshida and Y. Ohtsuka, Effect of salt species on the electrochemical p-doping of poly(pyrrole) films in poly(ethylene oxide) oligomers 68 (1994) 125
- Ohno, H., K. Ito and H. Ikeda, Decreased solubility of alkali metal salts by heating in poly(ethylene oxide) oligomers 68 (1994) 227
- Ohtsuka, Y., see H. Ohno 68 (1994) 125
- Paulmer, R.D.A. and A.R. Kulkarni, Synthesis and conductivity behaviour of ternary PEO-PPG-NaClO<sub>4</sub> amorphous blends 68 (1994) 243

- Protsenko, G., see A.L. Blumenfeld 68 (1994) 105
- Reimer, J., see S. Adler 68 (1994) 193
- Rietz, R.-R., K. Schmidt-Rohr, W.H. Meyer, H.W. Spiess and G. Wegner, Anion dynamics and conductivity in glassy polyelectrolytes – a two-dimensional solid state NMR study 68 (1994) 151
- Rossen, E., see C.D.W. Jones 68 (1994) 65
- Russek, S., see S. Adler 68 (1994) 193
- Santoro, A., see S. Adler 68 (1994) 193
- Schmidtke, H.M., see V. Leute 68 (1994) 287
- Schmidt-Rohr, K., see R.-R. Rietz 68 (1994) 151
- Schoonman, J., see E.M. Kelder 68 (1994) 5
- Secco, E.A. and M.G. Usha, Cation conductivity in mixed sulfate-based compositions of  $\text{Na}_2\text{SO}_4$ ,  $\text{Ag}_2\text{SO}_4$ , and  $\text{Li}_2\text{SO}_4$  68 (1994) 213
- Shahi, K., see A. Kumar 68 (1994) 71
- Shen, Y., see R. Doshi 68 (1994) 133
- Shirota, Y., see Y. Takebe 68 (1994) 1
- Shuk, P., L. Tichonova and U. Guth, Materials for electrodes based on rare earth manganites 68 (1994) 177
- Sinz, M., see Z. Lukacs 68 (1994) 93
- Spiess, H.W., see R.-R. Rietz 68 (1994) 151
- Stacy, A., see S. Adler 68 (1994) 193
- Staikov, G., see Z. Lukacs 68 (1994) 93
- Staikov, G., see M. Fritz 68 (1994) 339
- Steinbrück, M., see M. Fritz 68 (1994) 339
- Takada, K., see N. Aotani 68 (1994) 35
- Takebe, Y. and Y. Shirota, Poly(tetrahydrofurfryl acrylate) as a new host polymer for polymer-salt hybrid ionic conductors 68 (1994) 1
- Thatcher, J.H., see K. Viras 68 (1994) 49
- Tichonova, L., see P. Shuk 68 (1994) 177
- Tillement, O., Solid state ionics electrochemical devices 68 (1994) 9
- Usha, M.G., see E.A. Secco 68 (1994) 213
- Verhoef, A.H. and H.W. den Hartog, High-frequency dielectric properties of alkali and alkali-halide borate glasses 68 (1994) 305
- Viras, K., J.H. Thatcher, C.V. Nicholas and C. Booth, Polymer electrolytes formed from oxymethylene-linked poly(oxyethylene) and alkali metal perchlorates studied by Raman spectroscopy 68 (1994) 49
- Vogel, A., see Z. Lukacs 68 (1994) 93
- Vondrák, J. and J. Bludská, The role of water in hydrogen insertion into  $\text{WO}_3$  68 (1994) 317
- Vuillemin, B. and O. Bohnke, Kinetics study and modelling of the electrochromic phenomenon in amorphous tungsten trioxide thin films in acid and lithium electrolytes 68 (1994) 257
- Wegner, G., see R.-R. Rietz 68 (1994) 151
- Werner, U., see S. Adler 68 (1994) 193
- Wheat, T.A., see A. Ahmad 68 (1994) 233

- Yan, Y.M., C.K. Kuo and P.S. Nicholson, Phase equilibrium calculations in the systems  
(Na, Li)- $\beta''$ -Al<sub>2</sub>O<sub>3</sub>-O<sub>2</sub> and (Na, Li)- $\beta''$ -Al<sub>2</sub>O<sub>3</sub>-O<sub>2</sub>-H<sub>2</sub>O in relation to Na- $\beta''$ -Al<sub>2</sub>O<sub>3</sub> sin-  
gle-crystal-film growth 68 (1994) 85
- Yoo, H.-I., see J.-S. Lee 68 (1994) 139
- Yoshiasa, A., see N. Cho 68 (1994) 57
- Yoshida, H., see H. Ohno 68 (1994) 125





ELSEVIER

Solid State Ionics 68 (1991) 347,348

**SOLID  
STATE  
IONICS**

## Subject Index to Volume 68

2-D solid state  $^{13}\text{C}$ -NMR, 151

Acoustic relaxation, 81

Aerosol, 5

Alumina substrate, 331

Amorphous blends, 243

AMTEC device, 335, 339

Anion dynamics, 151

$\alpha$ -zirconium phosphate, 105

$\beta$ -alumina

sodium, 249, 335, 339

$\beta''$ -alumina

lithium, 85

sodium, 85, 233

Barium cerate, 5

Barium yttrium oxide, 269

Battery, 9

lithium, 65

Bismuth oxide, 133

Borate glasses, 305

Cathodes, 99

Cell voltage response, 249

Cerium oxide, 133

Charge layer, 71

Cluster model, 287

Complex impedance, 1

Composite solid electrolyte, 71

Copper oxide, 139

Cubic zirconia, 331

Dc relaxation, 139

Diffusion, 287

lithium, 111

Dirichlet domain, 221

Discharge mechanism, 325

D-LAM, 49

Doped lanthanum manganites, 177

Doped wustites, 185

Doping, 185

Electrical measurements, 99

Electrical properties, 331

Electrochemical cell, 93, 139

Electrochromic cell, 9

Electrochromism, 257

Electrode materials, 65

Electronic conductivity, 335, 339

ESR spectra, 159

Eutectic conductivity, 269

Film, 5, 85

Fluorine graphite, 325

Fuel cell, 9, 41

Heterogeneous doping, 71

High-frequency dielectric spectroscopy, 305

Hydrogen insertion, 317

Impedance spectroscopy, 93, 139

Insertion, 257

hydrogen, 317

Intercalation, 9, 105, 111, 159, 279, 325

Ion exchange, 279

Ionic conductivity, 71, 151, 243, 305

glass, 81

lithium, 1, 125, 213

silver, 213

sodium, 213

Kinetics, 257

Lanthanum manganates, 41

Lattice energy, 117

Lithium battery, 65, 111, 295

Lithium insertion, 159

Lithium manganese oxide, 279

Lithium oxide-vanadium oxide system, 295

Lithium phosphate, 35

Local, 193

Magnesio-wustites, 185

Mangano-wustites, 185

Microanalysis, 185

Microstructure, 185

Mixed cation conductivity, 213

Mixed conductor, 125, 173, 249

- Molybdenum trioxide, 111  
Motion, 193  
  
NMR, 105  
  
Oligomer, 117, 227  
Open-circuit potential, 159  
Order-disorder transition, 57  
Oxide, 193  
Oxide intercalation compounds, 65  
Oxygen permeation, 173  
Oxygen pump, 133  
Oxygen reduction, 41  
  
Paddle-wheel model, 77  
Particle size, 233  
*p*-electron conductivity, 249  
Percolation model, 77  
Perovskites, 133, 193  
Phase analysis, 173  
Phase diagram, 287  
Phase equilibria, 99  
Physicochemical, 41  
Planigon, 221  
Plastic crystals, 77  
Polarization effects, 93  
Polyelectrolytes, 151  
Poly(ethylene oxide) (PEO), 125, 227, 243  
Polymer, 1  
Polymer electrolyte, 49  
Polymer solubility, 227  
Poly(oxyethylene) POE, 49  
Poly(propylene oxide) PPO, 117, 243  
Polypyrrole, 125  
PPG, 243  
PTHFA, 1  
Pyrazole, 105  
Pyridazine, 105  
  
Raman spectroscopy, 49  
Rare earth manganites, 177  
Reactivity, 221  
  
Reduction  
  Cu versus V, 159  
Ruthenium oxide, 99  
Ruthenium oxide/ zirconium oxide composite, 99  
  
Salt solubility, 117  
Sensor, 9, 93  
  CO<sub>2</sub>, 249  
Silver iodide, 9  
Solid electrolyte, 35  
Solid oxide fuel cells (SOFC), 99  
Solid sodium ion electrolyte, 249  
Solid state properties, 41  
Solution casting method, 71  
Spray-drying, 233  
Spray pyrolysis, 5  
Statistical distribution, 57  
Structural properties, 305  
Structure, 193  
Sulfide glass, 35  
Surface area, 233  
  
Ternary polymer electrolytes, 243  
TGA, 269  
Thermodynamic factor, 287  
Thermodynamics, 9, 85  
Thick film, 99, 331  
Thin film cell, 9  
Titanium disulfide, 9  
Transference number, 133  
Tungsten trioxide, 257, 317  
  
Universal dynamic response, 305  
  
Vanadium bronzes, 295  
  
Warburg impedance, 139  
  
Yttrium-barium-cobalt-oxide, 173  
  
Zirconium oxide, 5, 9